



S p e c i f i c a t i o n

Product:	Hot Air Rubber Melter
Capacity:	1 Drum – 180 Litres
Mounted On:	2 No.150mm swivel/braked casters 2 No. 150mm fixed casters
Construction:	
Main Body Frame:	40 x 40 x 2 mm RHS
Outside Case:	2mm mild steel sheet
Pan:	Half diameter type – 4 mm mild steel plate
Pan End Plates:	Profile – 6mm Plate
Link/Gearbox Arms:	Profile
Insulation:	High temperature Rockwool dense slab - encased
Drive:	110-volt electric motor coupled to gearbox



Power:	110-volt supply – 16amp
Stirrer Shaft:	40 mm bright mild steel round
Stirrer Shaft Bearings:	2 bolt self-aligning 40 mm pillar block
Agitation:	Oscillating continuous paddle
Firing:	LPG propane gas
Burner Firing Tube:	4.000 NB SCH40 304 stainless steel pipe.
Flue Return Tube:	114.0 x 6mm mild steel
Thermostat:	Electric Digital
Temperature Control:	Electric Digital
Burner:	1 No. high-capacity open nozzle type burner
Outlet:	Gate type
Lifting:	4 No M20 eyebolts 4 No 3.25 tonne shackles
Length:	1900 mm
Width:	920 mm
Loading Height:	865 mm
Overall Height:	1430 mm
Unladen Weight:	480 kg



This specification and any drawings/images related to it are the sole copyright of WJ Horrod Ltd, and must not be passed to a third party without prior consent of WJ Horrod Ltd.

WJ Horrod Ltd also reserve the right to alter, change or modify this product to improve it without prior notice.