



## Specification

Product:	Non-Agitated Hot Air Melter
Capacity:	110 imperial gallons approx.
Type:	Digital Thermostat control
Casters:	2 No. 200mm swivel/braked cast iron 2 No. 200mm fixed cast iron
Construction:	
Main Body Frame:	40 x 40 x 2mm SHS
Outside Case:	2mm mild steel sheet
Pan:	Half diameter type – 5 mm mild steel plate
Pan End Plates:	Profiled 6mm mild steel plate
Insulation:	High temperature Rockwool dense slab - encased
Power:	32amp
Firing:	LPG propane gas
Burner:	Open nozzle type, 2 No. 50 mm



Burner Tubes: 4.000 NB SCH40 304 stainless steel pipes

Flue Return Tubes: 114.0 x 6mm mild steel

Material Outlet: Gate type

Temperature Control: Electric thermostat control

Temperature Gauge: Digital

Lifting Facilities: 4 No. certified metric collared eyebolts  
4 No. certified 3.25t shackles

Overall Shipping Dimensions:

Length: 1960 mm

Width: 1270 mm

Working Height: 1025 mm

Overall Height: 1570 mm

Weight: 585 kg

This specification and any drawings/images related to it are the sole copyright of WJ Horrod Ltd and must not be passed to a third party without prior consent.

WJ Horrod Ltd reserve the right to alter, change or modify this equipment to improve it without prior notice.

 **74 Years of Excellence**  
**Horrods**  
Engineering ~ Safety ~ Efficiency



The image displayed is for purpose of illustrating a non-agitated model and may not necessarily correspond to size on this specification.