

S p e c i f i c a t i o n

Product:	SwiftMelt Mastic Asphalt Mixer	
Model:	500kg trailer mounted	
Type:	Vertical agitation	
Capacity:	500kg	
Power:	Yanmar L48 low emission electric air cool diesel engine	
Drive:	Hydraulic forward & reverse mode, tilt with variable speed settings	
Construction:	Fully welded	
Main Body:	Outer casing:	2mm mild steel sheet
	Inner casing:	2.5mm mild steel sheet
	Case Bottom	2mm mild steel sheet
	Case ring:	Profiled 50 x 8mm Profiled 50 x 10mm
Insulation:	Rockwool dense slab - 50mm thick	
Material Pan:	Body:	4 mm mild steel plate
	Bottom:	8 mm spun mild steel plate
	Pan ring:	Profile 8 mm
	Top plate:	Profile 10mm
Lids:	Spun mild steel plate	
Material Outlet:	Profiled ring and door	
Stirrer Shaft:	2 ¾" bright mild steel solid square	

www.wjhorrod.co.uk kim@wjhorrod.co.uk

1 Leaway off Lea Bridge Road Leyton London E10 7QW T: 020 8539 8746
©W J Horrod Ltd 2024

Company registered in England No. 682155

Stirrer Caps:	Cast iron
Stirrers:	8mm plate – 80 x 20mm RSF – 50 x 50 x 6 RSA
Stirrer Shaft Coupling:	RM30FF – 50mm Taper Bush – 65mm Taper Bush
Stirrer Shaft Bearing:	65mm 4 Bolt Flange Type
Firing:	LPG propane gas
Burner:	5" Radial type with pilot protected flame failure system
Thermostat:	K-Type Digital 100-240V
Lighting:	Bullfinch Auto Torch
Charging:	Battery – 063 type
Trailer:	
Model:	Meredith & Eyre 1379.40
Rolling Chassis:	Single axle
Max Weight:	1800kg
Unladen Weight:	305kg
Coupling:	Ball/Eye (Customers Choice)
Body Length:	3810mm
Width:	1640mm

www.wjhorrod.co.uk kim@wjhorrod.co.uk

1 Leaway off Lea Bridge Road Leyton London E10 7QW T: 020 8539 8746
©W J Horrod Ltd 2024

Company registered in England No. 682155



**This specification and any drawings related to it are the sole copy right of
W J Horrod Ltd.
W J Horrod reserve the right to alter, modify or change the above specification without
prior notice.**

www.wjhorrod.co.uk kim@wjhorrod.co.uk

1 Leaway off Lea Bridge Road Leyton London E10 7QW T: 020 8539 8746
©W J Horrod Ltd 2024

Company registered in England No. 682155